

United States Patent and Trademark Office

UNITED STATES DEPARTMENT OF COMMERCE.
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.usplo.gov

	<u> </u>			
APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	 ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/073,491	02/11/2002	John Booth Bates	2001-0621	6019
TAYLOR & A	590 06/01/2004 AUST P.C		 EXAMI	and the state of
412 S. Main St.			LIANG, LE	DNARD S
P.O. Box 560 Avilla, IN 467	710		ART UNIT	PAPER NUMBER
	1		2853 DATE MAILED: 06/01/2004	
	and the second second	The state of the s	 ·	racina a la companya di santa

Please find below and/or attached an Office communication concerning this application or proceeding.

		M	
<u> </u>	Applicati n N .	Applicant(s)	
	10/073,491		
Office Action Summary		BATES ET AL.	
Since Florida Guillian y	Examin r	Art Unit	
71. 11.11.11.00 0.175	Leonard S Liang	2853	_
The MAILING DATE of this c mmunication app Period for Reply	pears on the cover sheet with th	e correspondence address	
A SHORTENED STATUTORY PERIOD FOR REPL THE MAILING DATE OF THIS COMMUNICATION. - Extensions of time may be available under the provisions of 37 CFR 1.1 after SIX (6) MONTHS from the mailing date of this communication. - If the period for reply specified above is less than thirty (30) days, a repl	36(a). In no event, however, may a reply by within the statutory minimum of thirty (30)	e timely filed	
 If NO period for reply is specified above, the maximum statutory period of Failure to reply within the set or extended period for reply will, by statute Any reply received by the Office later than three months after the mailing earned patent term adjustment. See 37 CFR 1.704(b). 	cause the application to become ABANDO	NED (35.U.S.C. & 133)	
Status den exclusivo de la composition della	and the second control of the second	maka di nasa di nasa kapi mpi pakata kali di kali di nasa di n Nasa di nasa d	اهيء ي
1) Responsive to communication(s) filed on 22 M	<u>larch 2004</u> .		•
2a) ☐ This action is FINAL . 2b) ☒ This	action is non-final.		1
3) Since this application is in condition for allowar	nce except for formal matters,	prosecution as to the merits is	
closed in accordance with the practice under E	x parte Quayle, 1935 C.D. 11,	453 O.G. 213.	
Disposition of Claims			
المن المنظم ا المنظم المنظم			
4) Claim(s) <u>1-14</u> is/are pending in the application.		•	
4a) Of the above claim(s) is/are withdraw 5) Claim(s) is/are allowed.	wn from consideration.		
6)⊠ Claim(s) <u>1,2,7-11 and 14</u> is/are rejected.			
7)⊠ Claim(s) <u>3-6 and 12-13</u> is/are objected to.			
8) Claim(s) are subject to restriction and/or	r election requirement		
a. a a a a a a a a a a a a a a a a a a	Cloudoff requirement.	V = V = V = V = V = V = V = V = V = V =	
Application Papers			
9) The specification is objected to by the Examine	r. 2		
10) The drawing(s) filed on is/are: a) acce	epted or b) objected to by the	e Examiner.	
Applicant may not request that any objection to the	**		
Replacement drawing sheet(s) including the correcti			•
11) The oath or declaration is objected to by the Ex	aminer. Note the attached Offic	ce Action or form PTO-152.	
Priority under 35 U.S.C. § 119			
and the first of t	nnianituundan 25 H O O S 4404	(-) (-1) (0)	•
12) Acknowledgment is made of a claim for foreign a) All b) Some * c) None of:	priority under 35 U.S.C. § 119((a)-(d) or (f).	. '
1. Certified copies of the priority documents	have been received		, ,
2. Certified copies of the priority documents		ation No	
3. Copies of the certified copies of the priori	· · · · · · · · · · · · · · · · · · ·		
application from the International Bureau		voc in this reational stage	
* See the attached detailed Office action for a list of		ved	
and the distribution of th	coramon dobios nor igogi.	10u.	
o porte and the state of any object of			

Attachment(s)

1) Notice of

1)	\Box	NOTIC	e or Ker	erences	Cited	(PI	IO-892)

2) Notice of Draftsperson's Patent Drawing Review (PTO-948)

3) Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08)
Paper No(s)/Mail Date _____.

	$\overline{}$			
AΝ		Interview Summary	(DTO	440
7/1	_	interview Summary	(FIQ	-4 13
		Dance Na/a\/Mail Da		•

5) Notice of Informal Patent Application (PTO-152)

6) L	Other:	
------	--------	--

Art Unit: 2853

DETAILED ACTION

Claim Objections

1. Claims 3 and 12 are objected to because of the following informalities: Claims 3 and 12 disclose "calculating whether the following mathematical relationship is true: (Rt-(Rm*p))-Rl#2*Rp". Based on page 7 of the applicant's specification, it is construed that the claim should state "calculating whether the following mathematical relationship is true: (Rt-(Rm*p))-Rl<=2*Rp". Appropriate correction is required.

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –


- (b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.
- 2. Claims 1-2, 7-11, and 14 are rejected under 35 U.S.C. 102(b) as being anticipated by Cleveland (US Pat 5677716).

Cleveland discloses:

• {claim 1} A method of printing on a print medium with a printhead in an ink jet printer, the printer having a minimum distance the print medium must be moved in an advance direction to overcome advancement errors associated with equipment for advancing the medium, to thereby move the medium a reliable distance (column 1, lines 26-36; column 3, lines 10-42; column 13, line 66 –

Art Unit: 2853

column 14, line 59; column 23, line 30 – column 24, line 13); advancing the print medium in an advance direction a predetermined amount during a first advancing step; printing on the print medium with the printhead in an area corresponding to the predetermined amount during a first printing step; determining an end of printable area on the print medium in the advance direction; advancing the print medium in the advance direction a fixed minimum reliable move amount during a second advancing step, dependent upon the determining step, the minimum reliable move amount being equal to the minimum distance and less than the predetermined amount (column 1, lines 26-36; column 3, lines 10-42; column 13, line 66 – column 14, line 59; column 23, line 30 – column 24, line 13); and printing on the print medium with the printhead in an area corresponding to the minimum reliable move amount during a second printing step (figure 2a-2d; column 3, lines 10-42; column 14, lines 52-59; column 23, lines 30-65; column 24, lines 1-13)



- {claim 2} the first printing step is carried out using multiple pass printing, the multiple being an integer p (column 17, lines 53-64)
- {claim 7} the predetermined amount corresponds to an integer divisor of a height of the printhead (column 23, lines 30-67; column 24, lines 1-12)

Art Unit: 2853

• {claim 8} the first printing step is carried out using multiple pass printing, the multiple being an integer p, and wherein the printing is carried out such that a distance d near the end of printable area subject to print degradation is represented by a mathematical expression: d=(n-1)*m (figure 2a-2d; column 3, lines 10-42; column 14, lines 52-59; column 17, lines 53-67; column 18, lines 1-37; column 23, lines 30-65; column 24, lines 1-13; inherent)

- {claim 9} the second printing step is carried out using multiple pass printing, and including the steps of repeating the second advancing step and the second printing sep until a nozzle of the printhead closest to the end of printable area is immediately adjacent to the end of printable area, and then repeating the second printing step without repeating the second advancing step until the multiple passes on the printable area are complete (figure 2a-2d; column 3, lines 10-42; column 14, lines 52-59; column 17, lines 53-67; column 18, lines 1-37; column 23, lines 30-65; column 24, lines 1-13; inherent)
- e {claim 10} A method of printing on a print medium with a printhead in an ink jet printer having a minimum distance the print medium must be moved in an advance direction to overcome advancement errors associated with equipment in the printer for advancing the medium, to thereby move the medium a reliable distance (column 1, lines 26-36; column 3, lines 10-42; column 13, line 66 column 14, line 59; column 23, line 30 column 24, line 13); printing on the print medium using multiple pass printing, including the repetitive substeps of: advancing the print medium n an advance direction a predetermined amount

Art Unit: 2853

during a first advancing step; and printing on the print medium with the printhead in an area corresponding to the predetermined amount during a first printing step; determining an end of printable area on the print medium in the advance direction; and printing on the print medium using multiple pass printing, dependent upon the determination of the end of printable area, including the repetitive substeps of: advancing the print medium in the advance direction a fixed minimum reliable move amount during a second advancing step, the minimum reliable move amount being equal to the minimum distance and less than the predetermined amount and sufficient to overcome advancement errors associated with operation of equipment for the advancing steps (column 1, lines 26-36; column 3, lines 10-42; column 13, line 66 – column 14, line 59; column 23, line 30 – column 24, line 13); and printing on the print medium with the printhead in an area corresponding to the minimum reliable move amount during a second printing step (figure 2a-2d; column 3, lines 10-42; column 14, lines 52-59; column 23, lines 30-65; column 24, lines 1-13)

- {claim 11} the multiple pass printing of the first printing step is carried out with a multiple represented by an integer p (column 17, lines 53-64)
- {claim 14} the second printing step using adjusted multiple pass printing includes the substeps of repeating the second advancing step and the second printing step until a nozzle of the printhead closest to the end of printable area is immediately adjacent to the end of printable area, and then repeating the second

Art Unit: 2853

printing step without repeating the second advancing step until the multiple passes on the printable area are complete

Allowable Subject Matter

3. Claims 3-6 and 12-13 are objected to as being dependent upon a rejected base claim, but would be allowable if rewritten in independent form including all of the limitations of the base claim and any intervening claims.

Claims 3 and 12 discloses "calculating whether the following mathematical relationship is true: (Rt-(Rm*p))-R1<=2*Rp," which was not found, taught, or disclosed in the prior arts.

Claims 4 and 13 discloses "if the calculating step is a true boolean expression, then resetting the predetermined amount to a distance corresponding to ((Rt-(Rm*p))-R1)/2," which was not found, taught, or disclosed in the prior arts.

Claims 5-6 depend from objected claim 4.

Response to Arguments

4. Applicant's arguments filed 03/22/04 have been fully considered but they are not persuasive.

The applicant's amendments to the claims have been considered, but are not considered to overcome the rejection made in view of Cleveland, especially in view of the teachings of Cleveland that "This situation may be troublesome in particular when printing near the bottom end of a sheet, as there the sheet is held only by a tensioning roller--which for other reasons is advantageously made rather small in diameter...One current development...importantly

Art Unit: 2853

mitigates the relative diminution of precision by taking smaller steps in the printing-medium advance, particularly near the bottom or end of each page." It is clear that Cleveland discloses the printer having a minimum distance the print medium must be moved in an advance direction to overcome advancement errors associated with equipment for advancing the medium, to thereby move the medium a reliable distance. The examiner maintains that the applicant must more clearly specify "minimum reliable move amount" so as to differentiate over the "smaller steps" disclosed by Cleveland.

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Leonard S Liang whose telephone number is (571) 272-2148. The examiner can normally be reached on 8:30-5 Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Stephen Meier can be reached on (571) 272-2149. The fax phone number for the organization where this application or proceeding is assigned is 703-872-9306.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

1s1 LSL

LAMSON NGUYEN PRIMARY EXAMINER